




Full Color P1.935 Fine Pitch Led Display , Indoor Led Display Screen SMD1515

Our Product Introduction

Basic Information

- Place of Origin: Guangdong
- Brand Name: TOPLED
- Certification: CE, ROHS, FCC, ISO9001, ISO14001
- Model Number: Indoor p1.935
- Minimum Order Quantity: Negotiation
- Price: Negotiation
- Packaging Details: Wooden case, flight case, honeycomb.
- Delivery Time: 15-20 Working days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 1000 SQM/Month



Product Specification

- Refresh Rate: 3840
- LED Type: SMD1515
- Module Size: 240*180mm
- Cabinet Size: 480*540
- Usage: Indoor
- Physical Density: 266,944
- Highlight: fine pitch led display, small pixel led display

Product Description

240mm*180mm Module Indoor Full Color p1.935 Small Pixel Pitch LED Display

Product Description

The Indoor Small Pixel Pitch LED Display is manufactured by using best quality material, purchased from most reputed vendors. The final products feature supreme quality and offers best outputs. High refresh rate and gray scale ensures the picture quality remains seamless.

* Excellent dynamic performance, impressive advertising effect.


* LED light source, colorful, eco-friendly and energy-saving.

* Have a wide range of application; can design words and pattern other displaying effects casually.

Parameters

P1.935			
Pixel pitch	1.935mm	Module size	240mm*180mm
Pixel configuration	1R1G1B	Module resolution	124Dots*93 Dots
View angle	140°/140°	Pixel density	266,944dots/m ²
LED encapsulation	SMD 1515	Refresh rates	3840Hz
Driving Method	Constant current	Max power consumption	600w/m ²
Display Brightness	400-1000cd/ M2	Average power consumption	200w/m ²
Working voltage	AC220V±15% 47~64HZ	Operating Temperature	-10 ~+60
Best viewing distance	≥1.935M	Operating Humidity	10%-95%RH

Cabinet 480*540mm



Beijing Silk Road Enterprise Management Services Co.,LTD



8618888888888



andy@gmail.com



highbrightnessleddisplay.com

